

# Notice of Allowability

Application No.

10/772,521

Examiner

Fahmida Rahman

Applicant(s)

STICKLE, KYLE

Art Unit

2116

## -- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--

All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. **THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS.** This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

1. ☒ This communication is responsive to 6/8/07.
2. ☒ The allowed claim(s) is/are 5 and 20.
3. ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
  - a) ☐ All    b) ☐ Some\*    c) ☐ None    of the:
  1. ☐ Certified copies of the priority documents have been received.
  2. ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.
  3. ☐ Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).

\* Certified copies not received: \_\_\_\_\_.

Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.  
**THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.**

4. ☐ A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.
  5. ☐ CORRECTED DRAWINGS ( as "replacement sheets") must be submitted.
    - (a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review ( PTO-948) attached
      - 1) ☐ hereto or 2) ☐ to Paper No./Mail Date \_\_\_\_\_.
    - (b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date \_\_\_\_\_.
- Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).
6. ☐ DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

## Attachment(s)

1. ☒ Notice of References Cited (PTO-892)
2. ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
3. ☐ Information Disclosure Statements (PTO/SB/08),  
Paper No./Mail Date \_\_\_\_\_
4. ☐ Examiner's Comment Regarding Requirement for Deposit  
of Biological Material
5. ☐ Notice of Informal Patent Application
6. ☒ Interview Summary (PTO-413),  
Paper No./Mail Date \_\_\_\_\_.
7. ☒ Examiner's Amendment/Comment
8. ☒ Examiner's Statement of Reasons for Allowance
9. ☐ Other \_\_\_\_\_.

### EXAMINER'S AMENDMENT

An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Michael Robbins on 6/15/07.

#### In the Claims:

1. Line 9, claim 5: Change "the synthesizer signal frequency" to --the synthesized signal frequency  $F_{DDS}$ — after "wherein"
2. Line 11, claim 5: Change " $F_{CLK}$ " to -- $F_{CLK}$ — after "per unit interval and"
3. Line 12, claim 5: Insert --of the synchronous clock signal or a frequency scaled from the synchronous clock signal— before "; and"
4. Line 4, claim 20: delete --and—after "synthesized signal frequency;"
5. Line 8, claim 20: Insert -- $F_{DDS}$ —after "the synthesized signal frequency"
6. Line 10, claim 20: change "integer and" to --integer, -- after "R is an"
7. Line 10, claim 20: Insert --and  $F_{CLK}$  is the frequency of the synchronous clock signal or a frequency scaled from the synchronous clock signal—before "; and"

#### In the Specification:

Art Unit: 2116

1. Page 9, [0026], line 1: delete --,  $F_{CLK}$ —after “the reference clock signal”
2. Page 11, [0031], line 2: change “(Figure 2)” to —(Figure 3)—after “low pass filter 106”.
3. Page 11, [0031], line 2: Change “analog signal waveform 308.” to --analog signal waveform 306 resulting an analog signal waveform 308. — after “to smooth out the”.
4. Page 12, [0033], line 1: delete —314—after “eye diagram”.

The following is an examiner's statement of reasons for allowance:

Waschura and Nygaard, Jr et al disclose a method of constructing eye diagram.

Dunning et al and Wildes et al disclose data transmission along with clock signal.

However, none of the references teach the particular synthesizer signal frequency function or the eye diagram function as required by the claimed invention.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled “Comments on Statement of Reasons for Allowance.”


Any inquiry concerning this communication or earlier communications from the examiner should be directed to Fahmida Rahman whose telephone number is 571-272-8159. The examiner can normally be reached on Monday through Friday 8:30 - 5:30. If attempts to reach the examiner by telephone are unsuccessful, the examiner's

Art Unit: 2116

supervisor, Rehana Perveen can be reached on 571-272-3676. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Fahmida Rahman  
Examiner  
Art Unit 2116

A handwritten signature in black ink, appearing to read 'Thuan N. Du', with a stylized flourish at the end.

**THUAN N. DU**  
**PRIMARY EXAMINER**